

LA-CO Industries, Inc.

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 16/11/2015

Revision date: 29/12/2015

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product form : Mixture
 Trade name : Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses


Use of the substance/mixture : Temperature indicator

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LA-CO Industries Europe S.A.S.
 Parc Industriel de la Plaine de
 l'Ain - Allée des Combes.
 01150.BLYES.France.
 Phone: +33 (0)4 74 46 23 23
 Fax: +33 (0)4 74 46 23 29
 E-mail: info@eu.laco.com
 Web: http://www.markal.com



1.4. Emergency telephone number

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

| EU Member State | Officieel adviesorgaan | Adres | Noodnummer |
|-----------------|--|---|------------------------------------|
| AUSTRIA | Vergiftungsinformationszentrale (Poisons Information Centre) | Allgemeines Krankenhaus Waehringer Geurtel 18-20 1090 Wien | +43 1 406 43 43 |
| BELARUS | The Belarus Republican Poisons Centre | Kizhevalova str. 58 220115 Minsk | +375 (0)17 201 9158 |
| BELGIUM | Centre Anti-Poisons/Antigifocentrum c/o Hôpital Central de la Base - Reine Astrid | Rue Bruyn 1 B -1120 Bruxelles/Brussel | +32 70 245 245 |
| BULGARIA | Национален токсикологичен информационен център National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov" | 21 Tolleben Boulevard 1606 SOFIA | +359 2 9154 409 |
| CROATIA | Poisons Control Centre Institute of Medical Research & Occupational Health | Ksaverska Cesta 2 P.O. Box 291 HR-10000 Zagreb | +385 1 234 8342 |
| CZECH REPUBLIC | Toxikologické informační středisko Clinic For Occupational Medicine, 1st Medical Faculty, Charles University | Na Bojišti 1 120 00 Praha 2 | +42 2 2491 9293 +42 2 2491 5402 |
| DENMARK | Gifflinjen Bispebjerg Hospital | Bispebjerg Bakke 23, 60, 1 DK-2400 København NV | +45 82 12 12 12 +45 35 31 55 55 |
| ESTONIA | Mürgistusteabekeskus | Gonsiori 29 15027 Tallinn | +372 626 93 90 |
| FINLAND | Myrkytystietokeskus | P.O.B 340 (Haartmaninkatu 4) HUS SF - 00029 Helsinki | +358 9 471 977 |
| FRANCE | ORFILA | | +33 1 45 42 59 59 |
| GERMANY | Berliner Betrieb für Zentrale Gesundheitliche Aufgaben | Oranienburger Strasse 285 13437 Berlin | +49 30 19240 |
| GERMANY | Informations und Beratungszentrum für Vergiftungsfälle | Kirberger Straße, Gebäude 9 D-66421 Homburg/Saar | +49 6841 19240 |
| GERMANY | Beratungstelle bei Vergiftungen, Klinische Toxikologie und Beratungsstelle bei Vergiftungen | Langenbeckstrasse 1 55131 Mainz | +49 6131 19240 |
| GREECE | Poisons Information Centre | 11527 Athens | +30 10 779 3777 |
| HUNGARY | Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety) Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service) | 1437 Budapest PO Box 839 1097 Budapest, Nagyvárad tér 2 | +36 80 20 11 99 |
| ICELAND | Eitrunarmiðstöðin | Eitrunarmiðstöðin 108 Reykjavik | +354 543 22 22 |

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

| | | | |
|-------------|--|--|---|
| IRELAND | National Poisons Information Centre | Beaumont Hospital PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2166 |
| LATVIA | Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs | 2 Hipocrate Street LV 1038 Rīga | +371 67 04 24 73 |
| LITHUANIA | Apsinuodijimų kontrolės ir informacijos biuras | Siltnamiu 29 2043 Vilnius | +370 5 236 20 52/+370 687 53 378 |
| MALTA | Medicines & Poisons Info Office | Mater Dei Hospital, Msida MSD 2090 Malta | 25450000 |
| NETHERLANDS | Nationaal Vergiftigingen Informatie Centrum National Institute for Public Health and the Environment, NB this service is only available to health professionals | Huispostnummer B.00.118, PO Box 85500 3508 GA Utrecht | +31 30 274 88 88 |
| PORTUGAL | Centro de Informação Antivenenos Instituto Nacional de Emergência Médica (INEM) | Rua Almirante Barroso, 36 1000-013 Lisboa | 808 250 143 (for use only in Portugal), +351 21 330 3284 |
| ROMANIA | Biroul pentru Regulamentul Sanitar International si Informare Toxicologica | Str. Dr. Leonte Anastasievici Nr.1-3, Sector 5 50463 Bucuresti | +40 21 318 36 06 |
| SLOVAKIA | Národné toxikologické informačné centrum University Hospital Bratislava | Limbová 5 833 05 Bratislava | +421 2 54 77 4 166 |
| SPAIN | Servicio de Información Toxicológica Instituto Nacional de Toxicología, Departamento de Madrid | Calle Luis Cabrera 9 E-28002 Madrid | +34 91 562 04 20 |
| SWEDEN | Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital | Box 60 500 SE-171 76 Stockholm | +46 8 33 12 31 (International) 112 (National) |
| SWITZERLAND | Centre Suisse d'Information Toxicologique | Freiestrasse 16 Postfach CH-8028 Zurich | +41 44 251 51 51 (International) 145 (National) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carc. 2 H351

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP)

: Warning

Hazardous ingredients

: Carbon black

Hazard statements (CLP)

: H351 - Suspected of causing cancer (if inhaled)

Precautionary statements (CLP)

: P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P280 - Wear protective gloves
P308+P313 - IF exposed or concerned: Get medical advice/attention
P405 - Store locked up
P501 - Dispose of contents/container to an authorised waste collection point

2.3. Other hazards

PBT: not yet assessed

vPvB: not yet assessed

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------------|--|----------|---|
| 2',4'-dimethylacetanilide | (CAS No) 97-36-9 (EC no) 202-576-0 | 0 – 90 | Acute Tox. 4 (Oral), H302 |
| Carbon black | (CAS No) 1333-86-4 (EC no) 215-609-9 | 0.1 – 15 | Carc. 2, H351 |
| Polyethylene Glycol | (CAS No) 25322-68-3 (EC no) 500-038-2 | 0 – 2 | Not classified |
| butyl 4-hydroxybenzoate | (CAS No) 94-26-8 (EC no) 202-318-7 | 0 – 2 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : Gently wash with plenty of soap and water.
- First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water.
- First-aid measures after ingestion : Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause cancer by inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : No particular fire or explosion hazard.

5.3. Advice for firefighters

- Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses.
- Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. EN469.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid creating or spreading dust.

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable gloves.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Wear suitable gloves.
- Emergency procedures : Stop leak if safe to do so. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Contain and collect as any solid.
- Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting.

6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid creating or spreading dust.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Incompatible products : Strong acids. Strong bases. Strong oxidizers.
- Heat and ignition sources : Keep away from heat, sparks and flame.
- Prohibitions on mixed storage : Incompatible materials.
- Storage area : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

Temperature indicator.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Carbon black (1333-86-4) | | |
|----------------------------------|---|--|
| Belgium | Limit value (mg/m ³) | 3.5 mg/m ³ |
| Denmark | Grænseværdie (langvarig) (mg/m ³) | 3.5 mg/m ³ |
| Denmark | Anmærkninger (DK) | K |
| Finland | HTP-arvo (8h) (mg/m ³) | 3.5 mg/m ³ |
| Finland | HTP-arvo (15 min) | 7 mg/m ³ |
| France | VME (mg/m ³) | 3.5 mg/m ³ |
| Ireland | OEL (8 hours ref) (mg/m ³) | 3.5 mg/m ³ |
| Ireland | OEL (15 min ref) (mg/m ³) | 7 mg/m ³ |
| Spain | VLA-ED (mg/m ³) | 3.5 mg/m ³ |
| Sweden | nivågränsvärde (NVG) (mg/m ³) | 3 mg/m ³ |
| United Kingdom | Local name | Carbon black |
| United Kingdom | WEL TWA (mg/m ³) | 3.5 mg/m ³ |
| United Kingdom | WEL STEL (mg/m ³) | 7 mg/m ³ |
| Norway | Grænseverdier (AN) (mg/m ³) | 3.5 mg/m ³ |
| Polyethylene Glycol (25322-68-3) | | |
| Austria | MAK (mg/m ³) | 1000 mg/m ³ (einatembare Fraktion) |
| Austria | MAK Short time value (mg/m ³) | 4000 mg/m ³ max. 4x15 min./Schicht (einatembare Fraktion) |
| Denmark | Grænseværdie (langvarig) (mg/m ³) | 1000 mg/m ³ |
| Denmark | Grænseværdie (kortvarig) (mg/m ³) | 2000 mg/m ³ |
| Denmark | Anmærkninger (DK) | (Polyethylenglycol (PEG) med middelmolvægt på 200-600) |
| Germany | TRGS 900 Occupational exposure limit value (mg/m ³) | 1000 mg/m ³ |
| Germany | TRGS 900 Limitation of exposure peaks (mg/m ³) | 8000 mg/m ³ |
| Germany | Remark (TRGS 900) | (einatembare Fraktion) |
| Slovakia | NPHV (priemerná) (mg/m ³) | 1000 mg/m ³ |
| Slovakia | Upozornenie (SK) | krátkodobý: kategória II. |
| Switzerland | VME (ppm) | 1000 ppm |
| Switzerland | Remark (CH) | (mittlere Molmasse 200-600) |

8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Use rubber gloves. EN374.
- Eye protection : EN166. In case of dust production: protective goggles.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Use air-purifying respirator equipped with particulate filtering cartridges. EN 12083.
- Environmental exposure controls : Prevent leakage or spillage.

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

Other information : Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-------------------------------|
| Physical state | : Solid |
| Appearance | : A solid crayon-like marker. |
| Colour | : Variable. |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| 2',4'-dimethylacetacetanilide (97-36-9) | |
|---|----------------------------|
| LD50 oral rat | 1995 mg/kg |
| ATE CLP (oral) | 1995.000 mg/kg bodyweight |
| butyl 4-hydroxybenzoate (94-26-8) | |
| LD50 oral rat | 13200 mg/kg |
| ATE CLP (oral) | 13200.000 mg/kg bodyweight |

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

| | |
|--|---|
| Carbon black (1333-86-4) | |
| LD50 oral rat | > 8000 mg/kg |
| LC50 inhalation rat (mg/l) | > 4.6 mg/m ³ 4 h |
| Polyethylene Glycol (25322-68-3) | |
| LD50 oral rat | 47000 mg/kg |
| LD50 dermal rat | > 20000 mg/kg |
| ATE CLP (oral) | 47000.000 mg/kg bodyweight |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Suspected of causing cancer (if inhaled). |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|----------------------|
| 2',4'-dimethylacetoacetanilide (97-36-9) | |
| LC50 fish 1 | 250 (250 - 350) mg/l |
| Polyethylene Glycol (25322-68-3) | |
| LC50 fish 1 | > 100 mg/l |
| LC50 other aquatic organisms 1 | 1000 mg/l |

12.2. Persistence and degradability

| | |
|---|----------------------------|
| 2',4'-dimethylacetoacetanilide (97-36-9) | |
| Biodegradation | 25 % 28 d |
| Carbon black (1333-86-4) | |
| Persistence and degradability | Not readily biodegradable. |

12.3. Bioaccumulative potential

| | |
|---|-----|
| 2',4'-dimethylacetoacetanilide (97-36-9) | |
| Log Pow | 1.4 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| | |
|---|--|
| Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C) | |
| PBT: not yet assessed | |
| vPvB: not yet assessed | |

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-----------------------------------|---|
| Sewage disposal recommendations | : Do not dispose of waste into sewer. |
| Waste disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |
| European List of Waste (LoW) code | : For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. |
| H code | : H7 - 'Carcinogenic': substances and preparations which, if they are inhaled or ingested or if they penetrate the skin, may induce cancer or increase its incidence. |

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not considered a dangerous good for transport regulations

14.2. UN proper shipping name

Proper Shipping Name (ADR) :

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Inland waterway transport

Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0 %

15.1.2. National regulations

Germany

Water hazard class (WGK) : 1 - low hazard to waters

WGK remark : Classification based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

according to Regulation (EU) 2015/830

Indication of changes:

Added product

Abbreviations and acronyms:

| | |
|--|---|
| | ATE: Acute Toxicity Estimate |
| | CAS (Chemical Abstracts Service) number |
| | CLP: Classification, Labelling, Packaging. |
| | EC50: Environmental Concentration associated with a response by 50% of the test population. |
| | GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). |
| | LD50: Lethal Dose for 50% of the test population |
| | OSHA: Occupational Safety & Health Administration |
| | PBT: Persistent, Bioaccumulative, Toxic |
| | TWA: Time Weighted Average |

Tempilstik® 185 °F (85 °C), 188 °F (87 °C), 250 °F (121 °C), 425 °F (218 °C), 428 °F (220 °C), 1250 °F (677 °C), 248 °F (120 °C)

Safety Data Sheet

according to Regulation (EU) 2015/830

| | |
|--|------------------------------------|
| | TSCA: Toxic Substances Control Act |
|--|------------------------------------|

Data sources : ESIS (European chemical Substances Information System; accessed at: <http://esis.jrc.ec.europa.eu/index.php?PGM=cla>.
 European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>.
 Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.
 National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.
 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of R-, H- and EUH-statements:

| | |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Carc. 2 | Carcinogenicity, Category 2 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H351 | Suspected of causing cancer |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | | |
|---------|------|--------------------|
| Carc. 2 | H351 | Calculation method |
|---------|------|--------------------|

LA-CO EU CLP SDS

SDS Prepared by: The Redstone Group, LLC
 6077 Frantz Rd.
 Suite 206
 Dublin, OH USA 43016
 T 614-923-7472
www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product